

[illegible][illegible]

Columns & Brackets			
Ref	ER1A	4n Steel Stepped Column	94632557
Ref	ER1B	4n Steel Stepped Column	94632557
Ref	ER2	4n Steel Stepped Column	94632557
Ref	ER2 TM	4n Steel Stepped Column	94632557 + Twin Brackets 94632947
Ref	ER3	4n Steel Stepped Column	94632557
Ref	ER3	4n Steel Stepped Column	94632727
Ref	ER3	4n Steel Stepped Column	94632557 + Single FL Bracket 94632556
Ref	ER3	4n Steel Stepped Column	94632557 + Twin FL Bracket 94632556

UNRA ZONE SUMMARY			
NAME	YCCAS	UNRA	%
UNRAIR MARIE LOUISE RABLO	11204.4	1.000	0.0

HEIGHT PROTECTION TO TOP TERRACE

AREA OF GRASSLAND
RETAINED FOR
COMMUNITY USE

GRASSLAND /
HABITAT AREA
REINSTATED POST
CONSTRUCTION

18No. DROP OFF

ILLUMINANCE Z - TURNING CIRCLES

Illuminance (Lux)
Average = 13.56
Maximum = 37
Minimum = 6
Min/Max Ratio = 0.62

Statistics 1 - Paoli

Illuminance (Lux)

Average = 13.82

Maximum = 36

Minimum = 6

Min/Max Ratio = 0.42

Lower Parking

EXISTING FOOTBALL / RUGBY PITCH
MAINTAINED WITH NO LIGHTING

Upward Waste Light Ratio
Total Waste = 16304.3
waste = 0.004

R1	06.11.23	Adjustments for 2700k
No.	Date	Revision



Project Title:
Blessed Carlo Acutis School

Area:
External Lighting

Client:
McCann & Partners

Scale:	Project Number:
1 500 0 10	0000010011

Date:	Rev Number:
-------	-------------

Drawn By:	Checked By:
A. G. G. G. G.	

Drawing Number:

Drawing Status: **For Approval**

ZG Lighting (UK) Ltd, Durhamgate,

Tel: 01388 420042

acdc THORN ZUMTOBEL

©ZG Lighting (UK) Ltd. 2022
Do not scale from this drawing