


Survey



Customer	PREMIER INN - MERTHYR	Resource	Phil Boniface
Contact			
Address	Pentrebach House Pentrebach CF48 4BB	Job type	Survey
		Reference	Survey2088
		Date	30/08/2024 15:00
Billing address	Tivoli Group Limited Mailpoint ES123, MPN2, Westfield Road Lutterworth LE17 4UE		


Notes Ash tree fell, Monkey Puzzle fell, stump grinding.



Survey Worksheet

Answer	Notes
--------	-------

Job Description 1.	11 large ash trees and 1 sapling in area to side of hotel by smoking area, from disabled parking spaces to picnic benches from car park to boundary fence / pathway, set back in woodland area. Large trees are between 11 and 14m tall. Trees in this small woodland to be felled, by climbing and dismantling, and straight felling where possible, and taken to low stumps and treated with co-plugs to prevent regrowth. One large Ash at side of car park (early stages of Ash Die Back) - Fell, climb and dismantle and grind out stump. Logs to be removed from site, chip into woodland. Woodland boundary is on public footpath - Chapter 8 signs and cones etc.
Job Description 2.	Monkey Puzzle - Fell, climb and dismantle, taking to low stump near ground level. Grind out stump. Located close to entrance - signs, cones etc.
Equipment needed	Chainsaws, Large Chainsaw, Chipper, Rigging Kit, Climbing kit, Ladders, Clean up kit
Any other equipment required?	na
What3Words	///fled.pound.shows
How Many Days Work?	4
How many men on the team to complete?	3
Nearest A&E?	Merthyr - Prince Charles Hospital - CF47 9DT - 01685 721721
Traffic Control	In House
Specialist kit required?	Chapter 8 cones etc

Is it under TPO?	no
Is it in a conservation area?	no
Are there any ecological considerations?	No
Is a Tip Site Needed?	No
Welfare arrangements ON SITE (If applicable)	Yes
Working at Height assessment	Personal Fall Protection Climbing
WAHJ - Can work be safely carried out from ground?	No
WAHJ - Is work from a MEWP appropriate? If not, why not?	No
Why not?	Inadequate access/road width, Insufficient working space or ground
Is the Tree Safe to Climb?	Yes
Are there any above ground power lines present?	No
Survey notes	na
Survey Assessment Completed by (sig)	
	
Survey Completed Date	30/08/2024 15:00
How many Before Photos would you like to add?	14

Before photo 1



Before photo 2



Before photo 3



Before photo 4



Before photo 5



Before photo 6



Before photo 7



Before photo 8



Before photo 9



Before photo 10



Quote - Tivoli - Premier Inn Merthyr

