

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details



Item A - Sign Type 1 - Entrance Monolith


Qty: 5 Total

- Dimensions: 1000mm (w) x 2100mm (h) x 200mm (d) Overall Above Ground
700mm extended legs into soft ground
- Details: (a) Dimensions: 900mm(w) x 1500mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
- (b) Dimensions: 1000mm (w) x 2800mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
- (c) Dimensions: 900mm(w) x 1680mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
- (d) Dimensions: 900mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base
- (e) Dimensions: 200mm (w) x 115mm (h)
Substrate: 3mm Composite Panel
Vinyl: Premium White
Graphic: Full colour digital print
Detail: x2 per sytem - both sides
Fixings: M6 Slotted Black Pan Screw into rivnut
Post Crete into soft ground

Fixings:

Page: 1/1

- FW-1022EX Dark Stained Oak
- Alesta SD - Iconica Cast Iron
- Pantone 567c RAL 6005



Fitting References:

Lower Car Park - w3w///actor.broken.battle
Lake Entrance - w3w///woven.stump.copies
Gurnos Road Entrance - w3w///snow.shirts.values
Quar Entrance - w3w///debate.filled.dock
Gwaelod y Garth Entrance - w3w///counts.vital.pocket

*See fitting map for details

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details



Item B - Sign Type 2 - Noticeboard

Qty: 3 Total


Dimensions: 1000mm (w) x 2100mm (h) x 200mm (d) Overall Above Ground

- Details:
- (a) Dimensions: 900mm(w) x 1500mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
 - (b) Dimensions: 1000mm (w) x 2800mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
 - (c) Dimensions: 900mm(w) x 1680mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
 - (d) Dimensions: 900mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base
 - (e) Dimensions: 200mm (w) x 115mm (h)
Substrate: 3mm Composite Panel
Vinyl: Premium White
Graphic: Full colour digital print
Detail: x2 per syetem - both sides
Fixings: M6 Slotted Black Pan Screw into rivnut
 - (f) Dimensions: 780mm(w) x 1030mm(h)
Details: External lockable noticeboard, grey pinboard backing
Finish: RAL coated
Fixings: Screws into ladder frame
Post Crete into soft ground

Fixings:

Page: 1/1

- FW-1022EX Dark Stained Oak
- Alesta SD - Iconica Cast Iron
- Pantone 567c RAL 6005



Fitting References:

Lower Car Park - [///bells.ages.tuned](#)
Gwaelod y Garth Entrance - [w3w///counts.vital.pocket](#)
Castel - [w3w///lively.courier.liver](#)

*See fitting map for details

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:30 @A4

Fixing Details



Item D - Sign Type 3 - Entrance Totem

Qty: 1 Total

Dimensions: 1050mm (w) x 3450mm (h) x 200mm (d) Overall Above Ground
1000mm extended legs into soft ground

- Details: (a) Dimensions: 950mm(w) x 1500mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
- (b) Dimensions: 1050mm (w) x 4450mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
- (c) Dimensions: 950mm(w) x 2870mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
- (d) Dimensions: 950mm(w) x 460mm(h) x 200mm(d)
Substrate: Pennant Stone Base

Fixings: Post Crete into soft ground


Page: 1/1

Fitting Reference:

Lower Car Park - w3w///slug.hammer.friend

*See fitting map for details


- FW-1022EX Dark Stained Oak
- Alesta SD - Iconica Cast Iron
- Pantone 567c RAL 6005



Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:30 @A4

Fixing Details



Fitting References:


Lower Car Park - w3w///upper.giant.trash
Lower Car Park - w3w///ranks.badge.begun
Courts & Sensory Garden - w3w///loaded.common.foil
Castle - w3w///line.wipes.forum
Splash Park - w3w///actors.duke.hatch
Splash Park - w3w///gender.canny.paying

*See fitting map for details

Item C - Sign Type 3 - Fence/Flat Panels

Qty: 6 Total


Dimensions: 600mm (w) x 960mm (h)
Substrate: 3mm Aluminium
Graphic: Full colour digital print to face
Laminate: Anti-Graffiti
Finish: RAL Coated
Fixings: Rails & Fixing plates/ Screws and coverheads
Fitting: To external fences/walls



Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details




Example Isometric

Slotted Pan Head Screw



Box Section
Internal Ladder Frame



Item E - Sign Type 4 - Directional (Small)

Qty: 4 Total

Dimensions: 380mm (w) x 1100mm (h) x 200mm (d) Overall Above Ground
350mm extended legs into soft ground

- Details:
- (a) Dimensions: 250mm(w) x 600mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
 - (b) Dimensions: 380mm (w) x 1450mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
 - (c) Dimensions: 280mm(w) x 680mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
 - (d) Dimensions: 280mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base

Fixings: Post Crete into soft ground


Page: 1/1

FW-1022EX
Dark Stained Oak

Alesta SD - Iconica
Cast Iron

Pantone 567c
RAL 6005

Example System Only - Graphics on following page



Fitting Ref:

Approach - w3w///insert.known.highs

Approach - w3w///dozen.credit.frames

Lake - w3w///held.thank.lifted


Lake - w3w///pasta.filed.stored

*See fitting map for details

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details




Example Isometric

Slotted Pan Head Screw



Box Section
Internal Ladder Frame



Item F - Sign Type 4 - Directional (Medium)

Qty: 7 Total

- Dimensions: 380mm (w) x 1600mm (h) x 200mm (d) Overall Above Ground
500mm extended legs into soft ground
- Details: (a) Dimensions: 280mm(w) x 935mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
- (b) Dimensions: 380mm (w) x 2100mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
- (c) Dimensions: 280mm(w) x 1180mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
- (d) Dimensions: 280mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base
- Fixings: Post Crete into soft ground


Page: 1/1

FW-1022EX
Dark Stained Oak

Alesta SD - Iconica
Cast Iron

Pantone 567c
RAL 6005

Example System Only - Graphics on following page




Fitting Ref:

Upper Car Park - w3w///slick.salt.harsh
 Splash Park - w3w///gender.canny.paying
 Sensory Gardens & Courts - w3w///melt.slowly.liability
 Trails - w3w///rigid.gains.sered
 Trails - w3w///town.sticks.moon (TBC)
 Trails - w3w///danger.added.resist (TBC)
 Trails - w3w///chest.scale.losses (TBC)

*See fitting map for details

Fixing Details




Example Isometric

Slotted Pan Head Screw



Box Section
Internal Ladder Frame



Item G – Sign Type 5 – Directional (Large)

Qty: 6 Total

Dimensions: 380mm (w) x 2100mm (h) x 200mm (d) Overall Above Ground
700mm extended legs into soft ground

- | | | |
|----------|-----|--|
| Details: | (a) | <p>Dimensions: 250mm(w) x 750mm(h)</p> <p>Substrate: 3mm RAL coated Aluminium</p> <p>Graphic: Full colour digital Print</p> <p>Finish: Anti-Graffiti Laminate</p> <p>Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape</p> |
| | (b) | <p>Dimensions: 380mm (w) x 2800mm (h)</p> <p>Substrate: 200mm x 50mm - 4mm Aluminium hollow section</p> <p>Detail: 50x25mm Inset Box Section Internal Ladder Frame</p> <p>Finish: Iron Effect Coating</p> <p>Fixings: Extended legs for planting</p> |
| | (c) | <p>Dimensions: 280mm(w) x 1680mm(h)</p> <p>Substrate: 3mm Aluminium Composite</p> <p>Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges</p> <p>Detail: 2 panels per system - front & back</p> <p>Fixings: M6 Slotted Black Pan Screw into rivnut</p> |
| | (d) | <p>Dimensions: 280mm(w) x 300mm(h) x 200mm(d)</p> <p>Substrate: Pennant Stone Base</p> |
| | (e) | <p>Dimensions: 460mm(w) 1,325mm(h)</p> <p>Substrate: Mesh PVC Banner</p> <p>Graphic: Full colour digital print</p> <p>Fixings: Pole Pocket to top edge</p> <p style="padding-left: 40px;">Eyelet to bottom corner</p> |
| Fixings: | | Post Crete into soft ground |

Fixings:

Page: 1/1

 FW-1022EX
Dark Stained Oak

 Alesta SD - Iconica
Cast Iron

 Pantone 567c
RAL 6005

Example System Only - Graphics on following page



Fitting Ref:


Approach - w3w///loser.agenda.head
Approach - w3w///ports.change.hoping
Approach - w3w///copy.intro.firms
Approach - w3w///wages.tube.long
Approach - w3w///cover.worked.other
Approach - w3w///bids.author.fades

*See fitting map for details

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details




Example Isometric

Slotted Pan Head Screw



Box Section
Internal Ladder Frame



Item H - Sign Type 6 - Trail Markers

Qty: 7 Total

Dimensions: 480mm (w) x 2100mm (h) x 200mm (d) Overall Above Ground
700mm extended legs into soft ground

- Details:
- (a) Dimensions: 380mm(w) x 1525mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
 - (b) Dimensions: 380mm (w) x 2800mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: RAL Coated
Fixings: Extended legs for planting
 - (c) Dimensions: 380mm(w) x 1680mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
 - (d) Dimensions: 380mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base
 - (e) Dimensions: 135mm (w) x 1,115mm (h) (x2 edges)
Vinyl: Premium
Graphic: Full colour digital print/Digicut
Laminate: Satin

Fixings: Post Crete into soft ground

Page: 1/1

FW-1022EX
Dark Stained Oak

Alesta SD - Iconica
Cast Iron

Pantone 567c
RAL 6005

Meadow Trail
Pantone 2428c
RAL 1006

Canopy Path
Pantone 5215c
RAL 4009


Iron Trail
Pantone 2042c
RAL 3004

Lakeside Loop
Pantone 5493c
RAL 6034

Woodland Walk
Pantone 2280c
RAL 6025

morgans consult

Example System Only - Graphics on following page



Fitting Ref:


Trails - w3w/////safety.thinks.finger
Trails - w3w/////intent.fully.scared
Trails - w3w/////most.chef.looked
Gwaelod y Garth Entrance - w3w/////slam.wash.yard
Gwaelod y Garth Entrance - w3w/////cities.radio.decreased
Lake - w3w/////reach.descend.erase
Lake - w3w/////belly.falls.regard

*See fitting map for details

Fixing Details



Threaded Insert
into wooden post



Item I – Sign Type 7 – Finger Posts

Dimensions: 100mm Square Posts x 2300mm (h) Overall Above Ground
700mm extended legs into soft ground

- | | | |
|----------|-----|--|
| Details: | (a) | <p>Dimensions: 500mm(w) x 100mm(h)</p> <p>Substrate: 3mm RAL coated Aluminium</p> <p>Graphic: Full colour digital Print</p> <p>Finish: Anti-Graffiti Laminate</p> <p>Fixings: Folded 'L' return, M6 Slotted Black Pan Screw into threaded Insert</p> |
| | (b) | <p>Dimensions: 100mm Square 2 part Collar x 200mm (h)</p> <p>Substrate: 2mm Folded Aluminium</p> <p>Finish: Iron Effect Coating</p> <p>Fixings: M6 Slotted Black Pan Screw into threaded Insert</p> |
| | (c) | <p>Dimensions: 100mm Square post x 1950mm (h)</p> <p>Substrate: Dark Stained Oak</p> |
| | (d) | <p>Dimensions: 100mm(w) x 1050mm(h) x 100mm(d)</p> <p>Substrate: Pennant Stone Base</p> <p>Fitting: 700mm planted into ground with inset thread bar</p> |

Fixings: Post Crete into soft ground

Page: 1/1

Fitting Ref:

Lower Car Park - w3w:///closes.mash.kings

Approach - w3w///lands.model.hood

Lake - w3w///organs.chest.slang

Courts & Sensory Garden - w3w:///space.repay.lost

Splash Park - w3w///ample.cage.entire Trails - w3w///trip.clouds.lobby

Splash Park - w3w:///venues.spots.vague

Trails - w3w:///charge.toys.fuel

Trails - w3w///urgent.woof.ladder


Trails - w3w///guides.motel.plenty

Ponds & Ice House - w3w:///lace.bucket.lovely

Trails - w3w///trip.clouds.lobby

Trails - w3w///safety.thinks.finger

Cedar Way Entrance - w3w:///stick.calm.cycles



Example System Only - Graphics on following page

 FW-1022EX
Dark Stained Oak

 Alesta SD – Iconica
Cast Iron

 Pantone 567c
RAL 6005

(a) Finger Directions (Varies)

(c) Dark Stained Oak Post

(b) Iron Effect Support Collar

(d) Pennant Stone Base

Cyfarthfa | Wayfinding


43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details

Slotted Pan Head Screw



Threaded Insert into wooden post



Item J - Sign Type 8 - Post & Panel (Small)

Qty: 2 Total

Dimensions: 100mm Square Posts x 2300mm (h) Overall Above Ground
700mm extended legs into soft ground

Details: (a) Dimensions: 500mm(w) x 1200mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: Folded 'L' return, M6 Slotted Black Pan Screw into threaded Insert

(b) Dimensions: 100mm Square 2 part Collar x 200mm (h)
Substrate: 2mm Folded Aluminium
Finish: Iron Effect Coating
Fixings: M6 Slotted Black Pan Screw into threaded Insert


(c) Dimensions: 100mm Square post x 1950mm (h)
Substrate: Dark Stained Oak

(d) Dimensions: 100mm(w) x 1050mm(h) x 100mm(d)
Substrate: Pennant Stone Base
Fitting: 700mm planted into ground with inset thread bar

Fixings: Post Crete into soft ground

Page: 1/1

Example System Only - Graphics on following page



Fitting Ref:

Splash Park - w3w///silent.line.dangerously

Splash Park - w3w///public.piano.intende

*See fitting map for details

Cyfarthfa | Wayfinding


43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details

Slotted Pan Head Screw



Threaded Insert into wooden post



Item K - Sign Type 9 - Post & Panel (Large)

Qty: 2 Total


Dimensions: 100mm Square Posts x 2300mm (h) Overall Above Ground
700mm extended legs into soft ground

- Details:
- (a) Dimensions: 960mm(w) x 1500mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: Folded 'L' return, M6 Slotted Black Pan Screw into threaded Insert
 - (b) Dimensions: 100mm Square 2 part Collar x 200mm (h) x2
Substrate: 2mm Folded Aluminium
Finish: Iron Effect Coating
Fixings: M6 Slotted Black Pan Screw into threaded Insert
 - (c) Dimensions: 100mm Square post x 1950mm (h) x2
Substrate: Dark Stained Oak
 - (d) Dimensions: 100mm(w) x 1050mm(h) x 100mm(d)x2
Substrate: Pennant Stone Base
Fitting: 700mm planted into ground with inset thread bar

Fixings: Post Crete into soft ground

Page: 1/1

***Example System Only -
Graphics on following page***



Fitting Ref:

Approach - w3w///horses.take.harsh

Upper Car Park - w3w///sunset.keeps.candy

*See fitting map for details

Cyfarthfa | Wayfinding


43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details

Slotted Pan Head Screw



Threaded Insert into wooden post



Item L - Sign Type 10 - Statutory

Qty: 9 Total

- Dimensions: 100mm Square Posts x 1800mm (h) Overall Above Ground
600mm extended legs into soft ground
- Details: (a) Dimensions: 500mm(w) x 500mm(h) Varies
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: Face Fixed M6 Slotted Black Pan Screw into threaded Insert
- (b) Dimensions: 100mm Square 2 part Collar x 200mm (h) x2
Substrate: 2mm Folded Aluminium
Finish: Iron Effect Coating
Fixings: M6 Slotted Black Pan Screw into threaded Insert
- (c) Dimensions: 100mm Square post x 1450mm (h) x2
Substrate: Dark Stained Oak
- (d) Dimensions: 100mm(w) x 950mm(h) x 100mm(d)x2
Substrate: Pennant Stone Base
Fitting: 600mm planted into ground with inset thread bar

Fixings: Post Crete into soft ground


Page: 1/1

FW-1022EX
Dark Stained Oak

Alesta SD - Iconica
Cast Iron

Pantone 567c
RAL 6005

Example System Only - Graphics on following page




*See fitting map for details

Cyfarthfa | Wayfinding

43757 | 27/11/2025 | v1 | HC | 1:20 @A4

Fixing Details




Example Isometric

Slotted Pan Head Screw



Box Section
Internal Ladder Frame



Item M - Sign Type 12 - Information Lectern

Qty: 12 Total

- Dimensions: 1100mm (w) x 1200mm (h) x 200mm (d) Overall Above Ground
400mm extended legs into soft ground
- Details: (a) Dimensions: 1000mm(w) x 690mm(h)
Substrate: 3mm RAL coated Aluminium
Graphic: Full colour digital Print
Finish: Anti-Graffiti Laminate
Fixings: M6 Slotted Black Pan Screw into rivnut/ VHB Tape
- (b) Dimensions: 1100mm (w) x 1600mm (h)
Substrate: 200mm x 50mm - 4mm Aluminium hollow section
Detail: 50x25mm Inset Box Section Internal Ladder Frame
Finish: Iron Effect Coating
Fixings: Extended legs for planting
- (c) Dimensions: 1000mm(w) x 780mm(h)
Substrate: 3mm Aluminium Composite
Vinyl: Dark Stained Oak Effect vinyl (FW-1022EX) Wrapped Edges
Detail: 2 panels per system - front & back
Fixings: M6 Slotted Black Pan Screw into rivnut
- (d) Dimensions: 1000mm(w) x 300mm(h) x 200mm(d)
Substrate: Pennant Stone Base
- (e) Dimensions: 200mm (w) x 115mm (h)
Substrate: 3mm Composite Panel
Vinyl: Premium White
Graphic: Full colour digital print
Detail: x2 per syetem - both sides
Fixings: M6 Slotted Black Pan Screw into rivnut
Post Crete into soft ground


Fixings:

Page: 1/1

FW-1022EX
Dark Stained Oak

Alesta SD - Iconica
Cast Iron

Pantone 567c
RAL 6005



Fitting References:

Lake - w3w///sing.task.trial
Lake - w3w///angel.exchanges.tilt
Lake - w3w///speeds.rises.land
Lake - w3w///crew.noisy.rise
Castle - w3w///sentences.round.chairs
Castle - w3w///jacket.grid.enable
Upper Car Park - w3w///minute.allows.cook
Ponds & Ice House - w3w///drums.gather.books
Ponds & Ice House - w3w///reward.armed.tribune
Courts & Sensory Gardens - w3w///both.shins.region
Courts & Sensory Gardens - w3w///courier.runs.matter
Cedar Way Entrance - w3w///branded.dinner.stroke

*See fitting map for details