

Avalon Floodlights

Introduction

- The Avalon range offers three types of IP65 rated floodlights.
- Body options of aluminium, aluminium slim and a cost effective polycarbonate.
- Ideal for use in areas such as car parks, industrial areas, training grounds and courtyards.
- Option of photocell for dusk-to-dawn operation on most models.


Applications

- Building perimeters
- Car parks
- Industrial buildings

Images



Technical



	Weight(kg)+	Dimensions		Surface (mm)			Area cm ²	
		A	B	C	F	G	Side	Front
POLYCARBONATE								
AVAM50EL PC	3.13	212	245	300	100	180	636	735
AVAS70EL PC	3.45	212	245	300	100	180	636	735
AVAM80EL PC	3.29	212	245	300	100	180	636	735
ALUMINIUM								
AVAS70L	4.70	125	265	365	140	-	456	967
AVAH70L	4.65	125	265	365	140	-	456	967
AVAS150L	8.80	170	375	445	140	-	756	1169
AVAH150L	8.80	170	375	445	140	-	756	1169
AVAS250L	9.65	170	375	445	140	-	756	1169
AVAH250L	8.75	170	375	445	140	-	756	1169
AVAS400L	11.15	170	375	445	140	-	756	1169
AVAH400L	9.70	170	375	445	140	-	756	1169
ALUMINIUM SLIMLINE								
AVADES70L*	3.75	84	230	350	103	-	229	804
AVADEH70L*	3.75	84	230	350	103	-	229	804
AVADES150L*	4.55	84	230	350	103	-	229	804
AVADEH150L*	4.55	84	230	350	103	-	229	804

Installation

- [View product installation leaflet](#)

Warranty

At Dextra we are proud of our commitment to providing the best possible support to our customers before, during and after your purchase. We will always provide our utmost support to you through every stage of the process. This will give you peace of mind that you are purchasing a quality product from a reputable UK company with an enviable reputation for customer care with over 30 years of experience in the lighting industry.

- Visit [Extended Warranties](#) page for further information

Ordering

How to order

Please ensure you read the [Important Information](#) section prior to placing an order.

A		
Code	Description	Lamps
Polycarbonate		
AVAM50EL PC	Polycarbonate	E27 50W MBFU
AVAS70EL PC	Polycarbonate	E27 70W SON - E
AVAM80EL PC	Polycarbonate	E27 80W MBFU
Aluminium		
AVAS70L	Aluminium	E27 70W SON - E
AVAH70L	Aluminium	E27 70W HQI - T
AVAS150L	Aluminium	E40 150W SON - T
AVAH150L	Aluminium	E40 150W HQI - T
AVAS250L	Aluminium	E40 250W SON - T
AVAH250L	Aluminium	E40 250W HQI - T
AVAS400L	Aluminium	E40 400W SON - T
AVAH400L	Aluminium	E40 400W HQI - T
Aluminium Slimline		
AVADES70L*	Aluminium Slimline	RX7s 70W NAV - TS
AVADEH70L*	Aluminium Slimline	RX7s 70W HQI - TS
AVADES150L*	Aluminium Slimline	RX7s-24 150W NAV TS
AVADEH150L*	Aluminium Slimline	RX7s-24 150W HQI TS

All fittings are complete with lamps.

B	
Code	Description
PH	Photocell (* Not available with Photocell)
WH	White body (excluding polycarbonate option)