

NOTE
THIS DRAWING IS INTENDED TO BE A LIVE WORKING DOCUMENT FOR FURTHER DEVELOPMENT AND DISCUSSION WITH ALL CONCERNED INCLUDING BIKE PARK DESIGN TEAM, BIRMINGHAM CITY COUNCIL, BIRMINGHAM CITY COUNCIL MEMBERS, THE SUO'S APPROVAL BODY AND GOVERNMENT WITH ALL APPROPRIATE REGULATIONS

NOTE
ALL DETAILS ARE SUBJECT TO
FURTHER INVESTIGATION TESTING

Rev	By	Date	Revision
N	CM	13.11.19	UPDATED IN ACCORDANCE WITH LANDSCAPE MASTER PLAN REV H
M	CM	04.10.19	UPDATED TO SUIT LANDSCAPE ARCHITECTS PLAN
L	CM	02.10.19	UPDATED TO SUIT LANDSCAPE ARCHITECTS COMMENTS & INFILTRATION TEST RESULTS
K	CM	21.08.19	SCHEME UPDATED FOLLOWING SAG CONSULTATION
J	CM	11.07.19	SCHEME PROPOSAL GENERALLY UPDATED
I	PH	17.05.19	SEALED TANK PROVIDED FOR FOUL WATERS FROM MOTORHOME AREA
H	PH	14.03.19	NOTE AMENDED ON EXISTING TREATMENT PLANT
G	PH	12.03.19	LODGE AREA LAYOUT UPDATED TO SUIT ARCHITECTS LAYOUT
F	PH	03.03.19	LODGE AREA LAYOUT UPDATED TO SUIT ARCHITECTS LAYOUT
E	PH	03.03.19	LODGE AREA LAYOUT UPDATED TO SUIT ARCHITECTS LAYOUT
D	PH	01.03.19	RE-DRAWN LEVELS & BANKS ADDED
C	PH	01.03.19	SAME VAN CAR PARK REMOVED AT BOTTOM OF SITE SECTION 7 DUE TO STEEPNESS OF EXISTING GROUND. DRAINAGE RE-ROUTED FROM LODGES, CESSPIT MOVED DUE TO STEEPNESS OF EXISTING GROUND. FIVE DRAINS ADDED ON SHEPHERDS HUTS. SECTION MARKS S-11 ADDED.
B	PH	18.11.18	DRAINAGE UPDATED. NEW ARCHITECTS LAYOUT ADDED.
A	PH	18.11.18	DRAINAGE UPDATED. NEW ARCHITECTS LAYOUT ADDED.

PLANNING

Le Trucco

RIDE BIKE WALES

Scale	Drawing Size	Date	Checked
1:500	A1	13/11/19	RG

Bingham Hall
PARTNERSHIP LTD

Consulting Civil & Structural Engineers
5 Tynter Court
Morganstown
Cardiff
CF11 1JY
Telephone: (029) 2048 8538

Project Title
PROPOSED EXPANSION AT RIDE BIKE WALES

Drawing Title
PROPOSED SITE WIDE EXTERNAL WORKS SCHEME

Project No.	Originator	Volume	Level	Type	Role	Number	Rev
6655	BHP	- ZZ	- XX	- DR	- S	- (60)P01	N



PROPOSED LOCATION OF NEW FOUL WATER TREATMENT FACILITY COMPRISING OPTION BELOW AS SET OUT IN THE FOUL WATER HIERARCHY OPTIONS OF PART H1 OF THE BUILDING REGULATIONS

OPTION (a) ii. PACKAGED TREATMENT PLANT WITH OUTFALL TO WATERCOURSE. OUTFALL EFFLUENT TREATED TO 200BOD/300SUSPENDED SOLIDS/6.45NH3 QUALITY. OPTION TO BE APPROVED BY NRW & LEAD LOCAL FLOOD AUTHORITY.

PLANNING DEPARTMENT
18 NOV 2019
RECEIVED

MITCHELL
AMENDED PL 1.1.3
16 NOV 2019
RECEIVED

APERTHA TYBIL
COUNTY BOROUGH COUNCIL
PERMISSION GRANTED SUBJECT TO CONDITIONS
09 JAN 2020
J. JONES
BATHING SITE R.T.P.I
HEAD OF TOWN PLANNING

190073