



PV SLATE

by GB-Sol

Solar slates for
beautiful solar roofs...

Thank you for ordering your PV Slate sample

PV Slate by GB-Sol – The integration of tradition and solar innovation with exceptional power generation capacity.

With it's discreet, traditional slate appearance, PV Slate is made using toughened glass, stainless steel and marine grade aluminium ensuring optimal performance and durability.

Compatible with traditional slates.

Traditional appearance for conservation areas & listed buildings.

Robust for all the UK weather can throw at it.

MCS Accredited since 2018 and hundreds of installations across Great Britain.


AA rating in roof fire tests, the highest rating and equivalent to Broof(t4).

Lightweight up to 50% less weight than traditional slates.

Stronger than traditional slates.

Warranty 25 years.

To talk further about your project
please call all us on **01443 841 811**



PV SLATE


CLEANING ADVICE

Out in the sun and rain, PV Slates are highly durable and are also self-cleaning.
If your sample gets fingerprints on it, these can easily be removed with a sponge & slightly soapy water, or with glass cleaner or wipe.

A tough & beautiful product

Each PV Slate comes with a comprehensive 25 year warranty on product, performance and weatherproofing.

PV Slates are primarily made of toughened glass and marine grade aluminium. Essentially, they are made in a similar way to conventional solar panels and have an expected life far longer than their 25 year warranty period. PV Slates are held in place by stainless steel screws and black stainless steel roof hooks, so they are strongly mechanically fixed to the roof.



Many competing products rely on plastics and adhesives for their construction, hence they are often only able to offer warranty periods of 10 years.

MCS accredited


PV Slates are accredited under the Microgeneration Certification Scheme, so they can help reduce the official EPC rating of your property and be a cost-effective way to comply with Part L of the Building Regulations. MCS accreditation also means that any surplus power from your PV Slates qualifies for extra income under the Smart Export Guarantee scheme.

Full roof PV Slate - edge to edge

PV Slate looks even more amazing when we take it "edge-to-edge" with custom infill slates to complete the sides of the roofs. A full roof PV Slate roof is almost indistinguishable from a natural slate roof.



This is only available for rectangular roofs, as diagonal cuts are not possible for hips and valleys.



Seamless solar for sensitive aesthetics

The PV Slate is a small solar panel that looks like a row of 4 natural slates. PV Slates can be installed by an experienced roofer once trained. Each unit has a robust metal frame which interlocks with the surrounding slates for waterproofing and is fitted to traditional roof battens with stainless steel screws.

Electrically, the PV Slates are connected together using industry standard MC4 connectors and then wired back to the inverter for conversion to mains power, like any other solar installation. PV Slates can provide a peak solar output of 1kW from a roof area of around 7 square metres.



Compatible with natural slates

PV Slates are compatible with traditional slates, so they can be fitted into a traditional roof construction without any extra roofing accessories. This is cost-effective and enables you to choose how much of your roof you would like to invest in solar, with remainder as traditional slate.

Colour matching

PV Slates are available in a light grey colour only, so they blend well with the lightest grey or blue-grey slate in most slate manufacturer's product ranges.

To date, the best colour matches we have found are the Cupa 12 & Siga 39 natural slates. In most weather conditions, the colour match is exceptional, and people are usually amazed to find out that they are looking at a solar roof.

PV Slates contrast from natural slates more under blue skies, when the natural slates taken on a darker tone, but the PV Slates maintain their light grey look.



Please see our website for an up to date list of compatible slates.




www.gh-sol.co.uk


Roofing & Mechanical Data:

	PV Slate 500x250	PV Slate 500x300	PV Slate 600x300
Natural Slate Compatibility	500mm x 250mm x 6mm	500mm x 300mm x 6mm	600mm x 300mm x 6mm
Natural Slates Replaced	4	3	3
Nominal Output	28.0 Wp	25.0Wp	30.0 Wp
Wp per m2 Roof Area*	138 Wp	138 Wp	132 Wp
Dimensions (Length x Width) visible on roof	1009mm x 200mm	906mm x 200mm	906mm x 265mm
Weight	3.2Kg	3.0Kg	3.8Kg
Minimum Natural Slates on Roof	Two natural slates are required around all edges of the roof and features such as roof windows.		
Natural Slate Colour Compatibility	Use light grey or blue-grey slates for the best colour match. Please see our website for an up to date list of suggested makes & models.		
Attention Gauge	200mm	200mm	250mm
Roof Pitch (Typical)	25°-90° - Dependent on location - contact us for more details		


PV Slate 500x250



PV Slate 500x300



PV Slate 600x300



Dimensions show the visible area of a single PV Slate unit on the roof.



gbsol
ARCHITECTURAL SOLAR POWER

GB-Sol Projects Ltd
Renewable Energy Works
Treforest Industrial Estate
Cardiff CF37 5YB

Tel 01443 841 811
Email info@gb-sol.co.uk

