



The Coal
Authority



INVESTOR IN PEOPLE



RTPI
Learning Partner

200 Lichfield Lane
Berry Hill
Mansfield
Nottinghamshire
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

For the Attention of: Rebecca Owens – Case Officer
Merthyr Tydfil County Borough Council

[By Email: planningservices@merthyr.gov.uk]

11 March 2020

Dear Ms Owens

PLANNING APPLICATION: P/20/0040

Change of use of land and construction of detached domestic garage at Land Rear of 8 Summerhill Place, Twynyrodyn, Merthyr Tydfil, CF47 0EY

Thank you for your consultation email of 26 February 2020 seeking the views of the Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department of Business, Energy & Industrial Strategy. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Material Consideration

I have reviewed the site location plans and the proposals and supporting information submitted and available to view on the LPA website and can confirm that the site falls within the defined Development High Risk Area.

The Coal Authority records indicate that the site lies in an area where historic unrecorded underground coal mining is likely to have taken place at shallow.

As you will be aware, the Coal Authority's general approach in cases where development is proposed within the Development High Risk Area is to recommend that the applicant obtains coal mining information for the application site and submits a Coal Mining Risk Assessment to support the planning application.

However, when considering the nature of this particular development proposal, the single storey garage will be utilised for domestic purposes, is small in scale and is unlikely to require substantial foundations or earthworks. On this basis we do not consider that

requiring a Coal Mining Risk Assessment would be proportionate to the scale and nature of the development proposed in this particular case and **do not object** to this planning application.

However, the Coal Authority does recommend that, should planning permission be granted for this proposal, the following wording is included as an Informative Note on any planning permission granted:

The proposed development lies within an area that has been defined by the Coal Authority as containing potential hazards arising from former coal mining activity. These hazards can include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and previous surface mining sites. Although such hazards are seldom readily visible, they can often be present and problems can occur in the future, particularly as a result of development taking place.

Property specific summary information on past, current and future coal mining activity can be obtained from: www.groundstability.com or a similar service provider.

If any coal mining feature is unexpectedly encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848. Further information is available on the Coal Authority website at: www.gov.uk/coalauthority

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

James Smith

James Smith *BSc. (Hons), Dip.URP, MRTPI*
Planning Liaison Manager

Disclaimer

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.