



- **Boundary Type 01- New Railings**
Galvanised Powder Coated Steel Railings at least 1100mm height.
- **Boundary Type 02- New Railings on top of existing brick wall**
Galvanised Powder Coated Steel Railings fixed to inside face of wall and to provide overall guarding height of at least 1100mm. Retaining wall to be repaired as necessary and new copings provided.
- **Boundary Type 03- New Railings on top of existing stone wall**
Galvanised Powder Coated Steel Railings fixed to inside face of wall and to provide overall guarding height of at least 1100mm. Retaining wall to be repaired as necessary and new copings provided.
- **Boundary Type 04- New Railings provided on deck access**
Galvanised Powder Coated Steel Railings at least 1100mm height.
- **Boundary Type 06- New fence**
Close boarded timber fence at least 2100mm height.
- **Boundary Type 07- New fence**
Hit and miss timber fence at least 1800mm height.
- **Boundary Type 08- New wall on top of existing**
Existing wall to be taken down to reasonable and stable height, then built-up to height of at least 2100mm to form part of bicycle enclosure. Please Refer to Drawing: 4005-PEN-ZZ-ZZ-DR-A-3010-S4
- **Boundary Type 09- Existing Railings**
Existing metal palisade railings retained and painted. (Colour TBC)
- **Boundary Type 10- New Railings to match existing**
New metal palisade railings. (Colour TBC)
- **Boundary Type 11- New Dwarf Wall**
Retaining wall at Min. 450mm high. Brickwork to match existing.
- **Boundary Type 12- New Dwarf Wall with Railings on top**
Galvanised Powder Coated Steel Railings fixed to inside face of wall and to provide overall guarding height of at least 1100mm. Brickwork to match existing.
- **Boundary Type 13- Existing Wall with Railings on top**
Existing wall to be taken down to reasonable and stable height with Galvanised Powder Coated Steel Railings fixed to inside face of wall and to provide overall guarding height of at least 1100mm.
- **New Gate**
1800mm height timber gate to match timber fence.
- **New Bicycle Enclosure**
Please Refer to Drawing: 4005-PEN-ZZ-ZZ-DR-A-3010-S4
- **New Bin Enclosure**
Please Refer to Drawing: 4005-PEN-ZZ-ZZ-DR-A-3000-S4

All close board or small mesh fencing must be hedgehog friendly in design. Either a continuous gap of 13cm from the base of the fence and ground must be provided or 13cm by 13cm gaps will be cut into fencing every 3m.

* Please Refer to Drawing:
3011 Boundary Treatments for
Sections 1 and 2.

P3	Drawings updated to co-ordinate with Topography and Site Levels. Boundary Type 5 Omitted.	HG	LR	23.01.23
P2	Issued for Tender	HG	LR	19.12.22
P1	issued for Approval.	HG	LR	12.12.22
Rev.	Description	Drawn	Check	Date

FOR APPROVAL

pentan
architects

22 Cathedral Road
Cardiff CF11 9LJ
t. 029 2030 9010
info@pentan.co.uk

Project
Llysfaen

Client
Merthyr HA

Drawing Title

Job no.	Org.	Zone	Level	Type	Role	Description	Status	Rev.
4004 -	PEN -	ZZ -	ZZ -	DR -	A -	1062	D2	P3

Scale	Date
-------	------

1 : 200 @ A2 Dec' 22

NOTES: Do not scale. All dimensions are in millimetres unless stated otherwise

