



Project: FORMER LABOUR EXCHANGE, PENYDARREN ROAD, MERTHYR TYDFIL		Drawing Title: SURFACE	
Client: HALE CONSTRUCTION FOR WALES AND WEST HOUSING ASSOCIATION		Project Number:	
Hydrock Temple Court, 13a Cathedral Road, Cardiff, CF11 9HA. TEL: 02920 023 665 or visit www.hydrock.com This drawing is the copyright of Hydrock Ltd. No liability will be accepted for any loss or damage arising from a drawing either printed or digital by parties other than Hydrock. Notes: Any discussions are to be checked on site before the commencement of works. Any discrepancies are to be reported to the Architect & Engineer for verification. Figure dimensions only are to be taken from this drawing. This drawing is for the use of the client and service. Engineer's drawings and specification. This drawing is copyright.		Drawing Status: Checked: SJ RCB	
Base of Slope Land Drain, 40mm Clean Stone Fill (refer to drainage drawing and details) Adoptable Carriageway [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 6] Footway [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 6] Vehicular Crossover [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 7] Soft Landscaped Areas to Landscape Architect's specification Marshalls Mtrial Concrete Block Paving to Landscape Architect's specification [60mm blocks, laid on 30mm compacted sharp sand on 100mm compacted Type 1 Sub-Base]		TK Transition Kerb Type HB2 Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, 125mm Upstand Type BN Dropped Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, 25mm Upstand Type EF Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, Laid Flush 600mm Paving Slab On Edge	
Base of Slope Land Drain, 40mm Clean Stone Fill (refer to drainage drawing and details) Concrete Unit paving to Landscape Architect's specification [Laid on 30mm compacted sharp sand on 100mm compacted Type 1 Sub-Base] Paved Areas to Landscape Architect's specification Concrete Slab (Shed Base / Bin Store Slab) [100mm GEN 3 concrete on DPM on 150mm Sub-Base, A142 mesh for bin store] Promenade Footway Re-Surfacing, following the completion of the site works, [25mm of ACC surface as per MTCBC Standard Footway Detail Drg. No. 6] Parking Bay Construction as Carriageway Construction but no base		JSB Contractor's Comments Incorporated C 14/02/2018 Design amended to suit standalone apartment site plan B 04/07/2016 Soft landscaping updated to suit architect's layout A 27/06/2016	
Rev Date Description By Cd			
1 27/06/2016 First Issue SJ RCB			

Project: FORMER LABOUR EXCHANGE, PENYDARREN ROAD, MERTHYR TYDFIL		Drawing Title: SURFACE	
Client: HALE CONSTRUCTION FOR WALES AND WEST HOUSING ASSOCIATION		Project Number:	
Hydrock Temple Court, 13a Cathedral Road, Cardiff, CF11 9HA. TEL: 02920 023 665 or visit www.hydrock.com This drawing is the copyright of Hydrock Ltd. No liability will be accepted for any loss or damage arising from a drawing either printed or digital by parties other than Hydrock. Notes: Any discussions are to be checked on site before the commencement of works. Any discrepancies are to be reported to the Architect & Engineer for verification. Figure dimensions only are to be taken from this drawing. This drawing is for the use of the client and service. Engineer's drawings and specification. This drawing is copyright.		Drawing Status: Checked: SJ RCB	
Base of Slope Land Drain, 40mm Clean Stone Fill (refer to drainage drawing and details) Adoptable Carriageway [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 6] Footway [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 6] Vehicular Crossover [As per MTCBC Highway Design Guide Standard Detail - Drg. No. 7] Soft Landscaped Areas to Landscape Architect's specification Marshalls Mtrial Concrete Block Paving to Landscape Architect's specification [60mm blocks, laid on 30mm compacted sharp sand on 100mm compacted Type 1 Sub-Base]		TK Transition Kerb Type HB2 Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, 125mm Upstand Type BN Dropped Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, 25mm Upstand Type EF Kerbing - As per MTCBC Highway Design Guide Standard Detail - Drg. No. 23, Laid Flush 600mm Paving Slab On Edge	
Base of Slope Land Drain, 40mm Clean Stone Fill (refer to drainage drawing and details) Concrete Unit paving to Landscape Architect's specification [Laid on 30mm compacted sharp sand on 100mm compacted Type 1 Sub-Base] Paved Areas to Landscape Architect's specification Concrete Slab (Shed Base / Bin Store Slab) [100mm GEN 3 concrete on DPM on 150mm Sub-Base, A142 mesh for bin store] Promenade Footway Re-Surfacing, following the completion of the site works, [25mm of ACC surface as per MTCBC Standard Footway Detail Drg. No. 6] Parking Bay Construction as Carriageway Construction but no base		JSB Contractor's Comments Incorporated C 14/02/2018 Design amended to suit standalone apartment site plan B 04/07/2016 Soft landscaping updated to suit architect's layout A 27/06/2016 Rev Date Description SJ RCB By Ctd	