


DECAY TO EXISTING TIMBERS
FORMING STAIR LANDING
ALLOW FOR LOCAL
DISMANTLING OF STAIR AND
LIKE FOR LIKE REPLACEMENT
OF DECAYED TIMBER MEMBERS

ALLOW FOR EXPOSING PURLIN END
AND CARRYING OUT REPAIR USING
STEEL BRACKET FIXED BACK TO
MASONRY VIA RESIN FIXINGS AS
PER DETAIL 02/3301



NOTES

1. THIS DRAWING IS COPYRIGHT AND MAY NOT BE REPRODUCED WITHOUT THE PERMISSION OF MANN WILLIAMS.
2. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE PROJECT SPECIFICATION WITH ALL WORKS CARRIED OUT IN ACCORDANCE WITH THE LATEST BRITISH STANDARDS AND CODES OF PRACTICE.
3. ANY AMBIGUITIES OR DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER INFORMATION GIVEN ELSEWHERE MUST BE REPORTED TO MANN WILLIAMS FOR CLARIFICATION BEFORE WORK PROCEEDS.
4. ALL DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO THE ENGINEER BEFORE ANY WORK COMMENCES.
5. ONLY FIGURED OR CALCULATED DIMENSIONS SHOULD BE USED AND NO DRAWINGS, IN ANY FORMAT SHOULD BE SCALED.

-  : SOUTH AND FLAT ROOF (205# DRG SERIES)
-  : EAST ROOF (206# DRG SERIES)
-  : CARETAKER'S COTTAGE (207# DRG SERIES)
-  : MUSEUM ENTRANCE (SEE DRG 2053 PART PLAN)

PROJECT

CYFARTHFA CASTLE
ROOF REPAIRS

TITLE

CARETAKER'S COTTAGE
PART PLANS

THIRD FLOOR AND ROOF



MANN WILLIAMS
CONSULTING CIVIL AND
STRUCTURAL ENGINEERS

7 OLD KING STREET
QUEEN SQUARE
BATH BA1 2JW

T 01225 464419
E bath@mnnwilliams.com
W www.mannwilliams.co.uk

DRAWN JL	CHECKED MAB	SIZE A1	SCALE 1 : 50	DATE AUG 2025	MW JOB NO 12803
SUITABILITY STATUS: S2 INFORMATION (NOT FOR CONSTRUCTION)					
ZONE/SYSTEM XX	LEVEL XX	TYPE DR	ROLE S	ORIGINATOR MWB	
PROJECT CODE 12803		NUMBER 2071		REVISION P2	