




From: Taylor, Andrew <Andrew.Taylor@merthyr.gov.uk>
Sent: 05 February 2025 07:46
To: Glover, Kate <Kate.Glover@merthyr.gov.uk>
Subject: RE: P/25/0026

Morning,

To be honest the residents view of safety is important, the matter of an overhang is not really issue. The limitation of a 20% reduction will mitigate the risk, the overhang and the health of the tree in question.

The works they would like to carry out would be more and may imbalance the tree making it more of a hazard than it already is, the species for mentioned (Acer Pseudoplatanus), will respond well to a reduction of this scale, so it would be a sound solution to the complaint.

Thanks
Andrew

From: Glover, Kate <Kate.Glover@merthyr.gov.uk>
Sent: 05 February 2025 07:23
To: Taylor, Andrew <Andrew.Taylor@merthyr.gov.uk>
Subject: RE: P/25/0026

Morning Andrew

Thank you for getting back to us. With landowner, it's the applicants responsibility to identify and notify, and as they have provided a name and address so we wouldn't look into this any further.

I've got a query about the crown reduction as the application form states that they intend to carryout "a full canopy removal due to overhang into two properties gardens". I'm not sure about the terminology around trees, are the works the referred to larger than a 20% removal?

Many thanks

Kate

Kate Glover
Swyddog Cynllunio / Planning Officer

Ffôn / Tel: 07761 330349

E-bost / Email: Kate.Glover@merthyr.gov.uk



From: Taylor, Andrew <Andrew.Taylor@merthyr.gov.uk>

Sent: 04 February 2025 13:19

To: Planning DC <Planning.DC@merthyr.gov.uk>

Cc: Glover, Kate <Kate.Glover@merthyr.gov.uk>

Subject: RE: P/25/0026

Okay, they would be permitted to complete a 20% reduction of the trees canopy and remove and dead limbs with ecological approval. Tree works wise, I am happy with concerns raised and a sensible solutions.

I am not sure of the landowner? You require the landowners permission by law. Has this been looked into?

Thanks
Andrew