





A close-up photograph showing a person's lower leg and foot standing on a set of stone steps. The steps are made of large, rectangular stone slabs. To the left of the steps is a rough, textured stone wall. The person is wearing dark trousers and a brown shoe.

Key Plan
not to scale



Replacement lead flat roof covering over new battens, breather membrane and counter battens All redundant lead should be recovered and the value be offset from the contract costs.

	Allow for carefully dismantling of parapet and renewing of lead DPC prior to rebuilding with stainless steel fixings and new lead DPC below top copings. Stones to be numbered and photographed prior to dismantling.
	Coping stones rebbed with new lead DPC and stainless steel fixings.

Timber moulding to be reaffixed to wall
at correct height

Existing ceiling finish to be rubbed
back and repainted to match existing.



C2	20/03/2026	LS	CS	Updates following site inspection
C1	28/11/2025			Construction Issue
T1	29/08/2025			Tender issue 1
REV	DATE	BY	CHK	DESCRIPTION

SIZE	SCALE
A1L	As indicated
REV	SUITABILITY/REASON FOR ISSUE
C2	

DRAWING NUMBER
CCRW-PUR-01-RF-DR-A-3117

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com




Photo of R.1.18 tower roof.

6 R.I.19 Gutter Section 2
1 : 20

 1 : 20