



ValeConsultancy

Project No. 18033

200301

Prepared by NF

Sheet No. SK03

Checked by MNJ

11 Trehan Road


REMAINING WAU DETAIL - SECTION B-B

* HEIGHT OF REMAIND SOIL - 2m

PLEASE REFER TO SECTION A-A FOR REINFORCEMENT DETAIL

* TYPE 1 GRANULAR BACKFILL TO REAR OF WAU

* CONCRETE STRENGTH C28/30, INFILL CONCRETE STRENGTH MIN C20/25





Vale Consultancy

Project No. 11883
Sheet No. SK02

Prepared by NE
Checked by MNJ

11 Teheran Road

RETAINING WALL DETAIL - SECTION A-A

* HEIGHT OF RETAINED SOIL - 2m

* TYPE 1 GRANULAR BACKFILL
TO REAR OF WALL


* 11MFIU CONCRETE MIN C20/25

* CONCRETE STRENGTH C28/35

* DPC TO BE TIED TO DPM
BY VERICAL MEMBRANE. DPC TO
BE DESIGNED AND SPECIFIED
BY SPECIALIST MANUFACTURER

INDICATIVE
SLAB LEVEL

DEPTH OF NEW RETAINING
WALL TO MATCH NEW
STEP FOUNDATION





Vale Consultancy

Project No. 11883
Sheet No. SK01

Prepared by NF
Checked by MND

11 Trehan Road

Plan View

