


Ground floor internal walls to comprise 100mm concrete blockwork with 13mm render/plaster finish to both faces. /

Existing I/O

① Rodding eye

Boundary fence

Adjacent property



Smoke detectors and fire alarm system to be designed and installed to BS5839 Part 6 : 2013 and to be located at a maximum distance of 7.5 metres from all habitable rooms within ground and first floor circulation spaces to at least a Grade D Category LD3 Standard. All apparatus is to be mains operated and interconnected, each with a battery back-up. Kitchen to be fitted with a heat detector to same specification and positioned 300mm from any walls and/or electrical source. All detectors to be interlinked to respond simultaneously

PROPOSED GROUND FLOOR PLAN

PROJECT

PROPOSED IMPROVEMENTS/ALTERATIONS

11, ANTHONY HILL COURT,

PENTREBACH,

MERTHYR TYDFIL.

DRAWING PROPOSED GROUND FLOOR PLAN

SCALE 1:50

DATE JUNE 2022

DRAWN RE

DRG.NO. 3

THIS DRAWING IS COPYRIGHT

Note: where proposed works to boundary wall affect the adjacent property, all due care and attention will be provided to maintain this boundary or temporary measures will be put in place to protect the privacy of the neighbouring property and any defects which may arise during construction shall be rectified at nil cost to the owners of the adjacent property. All costs and materials required to complete the works shall be the sole responsibility of the applicant and re-instatement shall be to the satisfaction of the adjacent owners