



**126 and 126a High Street,
Merthyr Tydfil**

Bat and Nesting Bird Survey Report

July 2023

REPORT CONTENTS

1.	INTRODUCTION	1
1.1.	BRIEF AND SITE LOCATION	1
1.2.	SITE DESCRIPTION	1
1.3.	PROPOSED WORKS	1
1.4.	LEGISLATION AND PLANNING POLICY	1
1.5.	SURVEY SCOPE	2
1.6.	REPORTING	2
2.	METHODS.....	3
2.1.	DESK STUDY.....	3
2.2.	FIELD STUDY	3
3.	BASELINE ECOLOGICAL CONDITIONS	6
3.1.	DESK STUDY.....	6
3.2.	FIELD STUDY	8
4.	EVALUATION	14
4.1.	SUMMARY OF FIELD WORK	14
4.2.	ASSESSMENT OF SUITABILITY OF BUILDING TO SUPPORT ROOSTING BATS.....	14
4.3.	POTENTIAL HIBERNATION ROOSTS	14
4.4.	IMPORTANT BAT COMMUTING ROUTES AND FORAGING AREAS.....	14
4.5.	BIRDS – INTERPRETATION OF NESTING BIRD SURVEY	14
5.	IMPACT ASSESSMENT	15
5.1.	POTENTIAL IMPACTS OF DEVELOPMENT ON BATS	15
6.	REQUIRED ACTIONS	16
6.1.	LICENSING REQUIREMENTS FOR BATS	16
6.2.	PRECAUTIONARY MEASURES	16
6.3.	ECOLOGICAL ENHANCEMENT FOR BATS	16
6.4.	LONGEVITY OF REPORT	17
7.	REFERENCES	18

DRAWINGS AND PLANS

DRAWING 1: EXISTING SITE PLANS

DRAWING 2: PROPOSED DEVELOPMENT

PLAN 1: LOCATION PLAN

PLAN 2: LOCATION/BLOCK PLAN

PLAN 3: PROTECTED SITES WITHIN 2KM

PLAN 4: DUSK EMERGENCE SURVEY RESULTS (05/07/2023)

APPENDICES

APPENDIX 1: BAT ECOLOGY AND LEGISLATION PROTECTING BATS AND THEIR ROOSTS

APPENDIX 2: JUSTIFICATION FOR NUMBER OF SURVEYS UNDERTAKEN



APPENDIX 3: GUIDELINES FOR ASSESSING POTENTIAL BAT ROOSTING SUITABILITY AND DETERMINING REQUIRED NUMBER OF DUSK/DAWN SURVEYS

APPENDIX 4: GUIDELINES FOR ASSESSING BAT HABITAT SUITABILITY

APPENDIX 5: SURVEYOR DETAILS

APPENDIX 6: INFRARED CAMERA IMAGES OF BUILDING

DOCUMENT CONTROL

126 – 126a High Street, Merthyr Tydfil Bat and Nesting Bird Survey Report				
Revision	Date	Prepared by	Checked by	Approved by
1.0	06 April 2023	Isabel Humphries Assistant Ecologist 	Rebecca Corley Assistant Ecologist 	Paul Hudson MCIEEM Principal Ecologist 
2.0	20 July 2023	Isabel Humphries Assistant Ecologist 	Rebecca Corley Assistant Ecologist 	Paul Hudson MCIEEM Principal Ecologist 
3.0	28 July 2023	Isabel Humphries Assistant Ecologist 	Paul Hudson MCIEEM Principal Ecologist 	Paul Hudson MCIEEM Principal Ecologist 

Acer Ecology Ltd accepts no responsibility or liability for the use of this document, other than by the client for the purpose for which it was originally commissioned and prepared.

Summary

Acer Ecology

Brief and Site Location	This report presents the findings of a bat and nesting bird survey of 126 – 126a High Street, Merthyr Tydfil, CF47 8BT (Ordnance Survey Grid Reference: SO 0492 0611).
Proposed Works	The development proposals involve the change of use of the first and second floors from offices and storage to five self-contained flats and storage. Additionally, alterations of the roof are planned together with other associated external alterations.
Survey Methodology	The survey comprised the following: • A preliminary roost assessment of the building searching for signs of bats and nesting birds; and • One dusk emergence survey of the building.
Results of Dusk Emergence Survey	No bats emerged from the building during the dusk emergence survey.
Evidence of Nesting Birds	No evidence of past or current nesting by birds was noted either within or on the building's exterior.
Requirements for Additional Survey	None required.
Predicted Impacts of Development on Bats and Nesting Birds	Based on the conclusion that bats are unlikely to be using the building as a roost site, no negative impacts on bats are anticipated. Additionally, as birds are not currently nesting in the building, no negative impacts on birds are anticipated.
Licensing Requirements for Bats	None required.
Recommendations and Precautionary Measures	Detailed recommendations are given in Section 6 of this report which include the following: • Precautionary measures to avoid and minimise potential impacts on bats and nesting birds during works; and • Bat roosting provision.

1. Introduction

1.1. Brief and Site Location

This report presents the findings of a bat and nesting bird survey of 126 – 126a High Street, Merthyr Tydfil, CF47 8BT (Ordnance Survey Grid Reference: SO 0492 0611)¹. The building lies within the boundary of Merthyr Tydfil Council.

1.2. Site Description

The building is located in the centre of Merthyr Tydfil, 31km north-west of the city of Newport. The building comprises a three-storey commercial development, surrounded by similar commercial buildings to the north, east, south, and west. The lower floors are shop units whilst the upper floors were previously used as offices, but are not in current use. The River Taff lies 0.1km to the west of the building. The wider environment is urban in nature, however there are scattered patches of woodland, with the nearest lying 0.3km to the east of the site.

Its location is shown on Plan 1: Location Plan.

1.3. Proposed Works

The development proposals involve the change of use of the first and second floors of the building from offices and storage to five self-contained flats and storage. Additionally, alterations of the roof are planned together with other associated external alterations. A planning application has been submitted under reference P/23/0006².

Existing and proposed plans can be found in Drawings 1 and 2: Development Proposals (Planning Reference number: P/23/0006).

1.4. Legislation and Planning Policy

1.4.1. Bats

All UK bats are protected species. Their breeding sites or resting places³ (roosts) are fully protected under the Wildlife and Countryside Act 1981⁴ (as amended) and the Conservation of Habitats and Species Regulations 2017⁵ which continues to apply in UK law through the Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019⁶. Works affecting bats are subject to licensing

¹ Latitude and Longitude: 51.745673 , -3.3786567 / what3words: estate.posed.loaded

² <https://publicaccess.merthyr.gov.uk/online-applications/applicationDetails.do?keyVal=RR3HGBKQ00300&activeTab=summary>

³ Resting places are defined as '*areas that are essential to sustain an animal or group of animals when they are not active*' (European Commission, Directorate-General for Environment, 2022). Resting places that are used regularly, either within or between years, must be protected even when not occupied.

⁴ <https://www.legislation.gov.uk/ukpga/1981/69>

⁵ <https://www.legislation.gov.uk/uksi/2017/1012/contents/made>

⁶ <https://www.legislation.gov.uk/ukdsi/2019/9780111179512>

procedures by Natural Resources Wales (NRW). The legal protection and licensing procedures are summarised in Appendix 1.

1.4.2. Nesting Birds

All wild British birds (whilst building nests, nesting, and sitting on eggs) and their nests and eggs, (with certain limited exceptions⁷) are protected by law under Section 1 of the Wildlife and Countryside Act 1981⁸ (as amended) and the Countryside and Rights of Way Act 2000⁹. Some species, such as barn owls (*Tyto alba*), are listed in Schedule 1 and have additional protection from disturbance during the breeding season, as do their nests, eggs, and dependent young.

1.5. Survey Scope

The survey comprised the following:

- A preliminary bat roost assessment which included a survey for nesting birds; and
- One dusk emergence survey of the building.

1.6. Reporting

This report aims to:

- Outline the survey methodology used;
- Present the results of the survey;
- Provide an interpretation of the survey results;
- Determine the need for further targeted surveys; and
- Provide suitable recommendations in line with planning policy and wildlife law, including potential licencing requirements, mitigation, compensation, and enhancement measures.

⁷ Details of the exceptions are available at <https://naturalresources.wales/permits-and-permissions/species-licensing/list-of-protected-species/bird-licensing/bird-licences/?lang=en>

⁸ <https://www.legislation.gov.uk/ukpga/1981/69>

⁹ <https://www.legislation.gov.uk/ukpga/2000/37>

2. Methods

2.1. Desk Study

Maps and aerial photographs of the site and surrounding area, including existing habitats, were assessed. A search for statutory and non-statutory conservation designated sites for bats within 10km was undertaken using NRW Geographic Information System (GIS) data. A 2km search was undertaken for all other statutory and non-statutory conservation designated sites.

A local planning portal search was undertaken. This involved looking for other sites, within the same postcode area, which have previously had bat surveys submitted as a part of their planning applications.

2.1.1. Local Records Centre Search

A BARB+ record search was requested from SEWBRc detailing all bat and bird records within 2km of the development site.

2.2. Field Study

2.2.1. Daytime Internal and External Inspection

A systematic search of the exterior and interior of the building was undertaken, looking for features that bats could use for entering/exiting and roosting¹⁰. In addition, a search was made for the presence of bats or evidence of bat use, such as droppings, feeding remains, urine staining, scratch marks and the remains of dead bats. The survey was undertaken on 17th of March 2023 by Paul Hudson¹¹ MCIEEM (NRW Licence Number: S091671-1) and Isabel Humphries¹². A high-powered torch (Clulite), an endoscope (Rigid Micro CA-300), binoculars and a ladder were available for use, as appropriate during the survey.

2.2.2. Assessment of Bat Roosting Suitability

The value of the site for bats (and any potential roost sites therein) was assessed, in accordance with Table 4.1 of the Bat Surveys for Professional Ecologists (Collins, 2016) (see Appendix 2). The assessment was based on the relative abundance and quality of potential roost sites, and the habitat features within both the site and the surrounding landscape suitable for roosting, foraging and commuting bats.

2.2.3. Dusk Emergence Survey

¹⁰ Bats can utilise gaps approximately 8mmx17mm in size (The Bat Conservation Trust, Cluster-flies leaflet mentions 8mm by 20mm whilst the Bats and Buildings leaflet states 9mm by 17mm).

¹¹ Paul graduated with a degree in Environmental Biology from Reading University and a Postgraduate Diploma in Conservation Management from the University of East Anglia. He has worked within ecological consultancy since 2000 and has undertaken bat work since 2001. He holds licences to disturb bats in both Wales (S091671-1) and England (2018-36707-CLS-CLS valid until 2028). Further details of his qualifications and experience can be found at <http://linkd.in/19aGTf4>.

¹² Isabel graduated in Chemistry from Cardiff University. She is currently receiving training from Acer Ecology, working as an Assistant Ecologist, gaining ecological surveying experience. Further details of Isabel's qualifications and experience can be found at: <https://www.linkedin.com/in/isabel-humphries-a182491b9>

Four surveyors undertook the dusk emergence survey on the 5th July 2023. Surveyor details can be found in Appendix 5. The surveyors were all equipped with Elekon Batlogger M bat detectors. The whole of the building was kept in view of the surveyors at all times. The surveyors were also equipped with a Nightfox Red infrared camera each supplemented with a Nightfox XB5 850nm Infrared LED flashlight. Infrared cameras were used because they are always on and not prone to distraction, and they aid the detection of bats in low light levels from 45 minutes after sunset until 90 minutes after sunset. Video footage was subsequently viewed using VLC Media Viewer. Images of the footage recorded can be found in Appendix 6.

2.2.4. Survey for Nesting Birds

A visual search was undertaken for active bird nests, as well as any signs which might indicate either past or current nesting, such as guano, singing birds, birds carrying nesting material, food items, faecal sacs and calling chicks.

2.2.5. Constraints

Temporal Constraints

An ecological survey can only identify what is present on site at the time the survey is conducted. However, habitat usage by species can change over time.

Timing

The time of year when the preliminary roost assessment was carried out coincides with the period when most bats have retreated to winter hibernation sites and are most difficult to detect. Bats may begin to emerge and signs of limited activity can be seen. In warmer weather, small numbers of bats leave hibernation roosts, feeding as it gets warmer. In bad weather, they may become torpid.

However, signs of roosting activity from previous summers may still be identified inside loft spaces and the potential of a building can be assessed outside the active season. Therefore, the timing of the inspection is unlikely to have significantly constrained the survey.

Evidence of Bats

Often bats leave no visible signs of their presence even on the inside of a building, particularly where there are hidden cracks, crevices, and voids.

Restricted View of External Parts of the Building

Not all of the external parts of the building could be inspected during the preliminary roost assessment. As the building is of considerable height, a close-up inspection of the roof was not possible and instead, observations were made at a distance using binoculars. However, this is not considered a significant constraint.

Acer Ecology

Restricted Access Due to Presence of Suspended Ceiling

The loft void located near the eastern elevation is located above a suspended ceiling. Therefore, a search for evidence of bats was constrained to areas near the loose tiles of the suspended ceiling only. However, a visual search was still conducted. Therefore, this restricted access is not considered a significant constraint.

Weather Conditions

Light drizzle was noted to begin at 22:58 prior to the survey ending at 23:04. However, due to the proximity to the end of the survey with the majority of noted activity occurring earlier in the night, the drizzle is not considered a significant constraint.

3. Baseline Ecological Conditions

3.1. Desk Study

3.1.1. Bat Roosts Reported in Planning Applications Within the Same Postcode

The planning portal search¹³ returned no bat roost records from a search of sites with the same postcode area as the proposed development.

3.1.2. Protected Sites

The location of protected sites are shown in Plan 2: Protected Sites within 2km.

Statutory Sites Notified for Bats (Special Areas of Conservation (SACs) or Sites of Special Scientific Interest (SSSIs) Within 10km

There are no SACs or SSSIs designated for bats within 10km of the building.

Other Protected Sites Within 2km

There are two additional SSSIs within 2km of the building:

Table 1: Statutory Sites Within 2km

Site Name	Description	Distance and Direction from Development Site	Development Impacts
Cwm Glo A Glyndyrys SSSI ¹⁴	Consisting of marshy grassland, species-rich neutral grassland, and lowland acid grassland, Cwm Glo A Glyndyrys hosts an important population of grassland fungi. The site encompasses a series of small enclosures surrounded by woodland, and extensive areas of open land with mature trees and scrub and woodland. Drainage is impeded in the small enclosures- supporting base-rich fen- meadow communities.	0.8km to the south-west.	There are no anticipated impacts on this protected site during development.
Cwm Taf Fechan Woodlands SSSI ¹⁵ and LNR	Consisting of semi-natural broadleaved woodland, Cwm Taf Fechan Woodland hosts a wide variety of plants including several rare species. The Taf Fechan crosses the north crop of Carboniferous Limestone. The humid conditions in the wooded ravine allow a particularly rich moss and liverwort flora to grow, with over a hundred species recorded. There are a number of scarce plant	1.9km to the north-west.	There are no anticipated impacts on this protected site during development.

¹³ <https://publicaccess.merthyr.gov.uk/online-applications/simpleSearchResults.do?action=firstPage>

¹⁴ https://naturalresources.wales/media/665303/SSSI_1597_Citation_EN0015616.pdf

¹⁵ https://naturalresources.wales/media/642350/SSSI_0404_Citation_EN001d5eb.pdf

Acer Ecology

	species, such as limestone fern. There are also areas of acid grassland, limestone grassland and dry heath.		
--	---	--	--

There is no mention of bats in either of the SSSI citations, however, the sites are likely to be used by several bat species for foraging, commuting, and roosting.

Non-statutory Protected Sites

Sites of Importance for Nature Conservation (SINCs)

The Afon Taff SINC¹⁶ lies 0.1km east of the building. It is designated as the major river in the County Borough. It includes areas of bankside habitats, particularly towards the south where the river corridor is less industrialised than further north. Associated habitats are chiefly semi-natural woodland, including areas of ancient semi-natural woodland and linear wet woodlands. There are also numerous neutral grasslands, scrub patches and bracken stands, as well as small areas of marshy grassland and tall herb vegetation. Notable features of the river course include cobble banks which support localised plants. Otter occurs throughout the length of the river which is known to be of value to a wide variety of birds, fish, bats and reptiles.

Ancient Woodland Sites

The following table shows the ancient woodland sites within 2km of the site:

Table 2: Ancient Woodland Sites Within 2km

Ancient Woodland Site	Number within 2km of Site
Ancient Semi-Natural Woodland (ASNW) ¹⁷	Nine
Restored Ancient Woodland Sites (RAWS) ¹⁸	Three
Nearest Area of Ancient Woodland	An unnamed area of RAWS located 1.1km to the north of the site

Protected Sites Summary

Given the localised nature of the proposed development, the limited ecological connectivity around the site and the distance between the proposed development and any designated or non-designated sites, as well as the limited scope for impacts outside of the footprint of the proposed works, no adverse impacts to the protected sites are likely to occur. These sites are not mentioned further in this report.

¹⁶ http://citations.lercwales.org.uk/sinc/mtr/Afon_Taf.pdf

¹⁷ Ancient Semi-Natural Woodland (ASNW) – broadleaf woodlands comprising mainly native tree and shrub species which are believed to have been in existence for over 400 years.

¹⁸ Restored Ancient Woodland Sites (RAWS) – woodlands which are predominately broadleaved now and are believed to have been continually wooded for over 400 years. These woodlands will have gone through a phase when canopy cover was more than 50% non-native conifer tree species and now have a canopy cover of more than 50 percent broadleaf.

Acer Ecology

3.1.3. Protected and Notable Species

Bats

SEWBrEC returned a total of 24 records of bat roosts within 2km of the site. The roost records are summarised in the table below.

Table 3: Bat Roost Records

Species	Total Number of Records	Distance to Nearest Record	Most Recent Record	Maximum Count
Unidentified bats	Five	0.18km	2011	N/A
Soprano pipistrelle (<i>Pipistrellus pygmaeus</i>)	Three	0.2km	2022	1
Common pipistrelle (<i>Pipistrellus pipistrellus</i>)	Seven	0.3km	2022	7
Pipistrelle bat species (<i>Pipistrellus sp.</i>)	Three	0.33km	2011	N/A
Long-eared bat species (<i>Plecotus sp.</i>)	One	0.33km	2011	N/A
Brown long-eared (<i>Plecotus auritus</i>)	Two	0.38km	2020	1
Lesser horseshoe (<i>Rhinolophus hipposideros</i>)	One	0.48km	2019	1
Myotis species (<i>Myotis sp.</i>)	One	1.8km	2021	3
Daubenton's bat (<i>Myotis daubentonii</i>)	One	1.8km	2010	1

Birds

SEWBrEC returned records of 13 different bird species within 1km of the development site.

Five are listed as priority species, namely peregrine (*Falco peregrinus*), kestrel (*Falco tinnunculus*), herring gull (*Larus argentatus*), house sparrow (*Passer domesticus*) and starling (*Sturnus vulgaris*).

Four species have been listed as locally important species, namely blue tit (*Cyanistes caeruleus*), great tit (*Parus major*), pied wagtail (*Motacilla alba*) and house martin (*Delichon urbicum*).

Four species have been identified as species of conservation concern, namely swift (*Apus apus*), swallow (*Hirundo rustica*), lesser black-backed gull (*Larus fuscus*) and redstart (*Phoenicurus phoenicurus*).

3.2. Field Study

3.2.1. Lighting and Ecological Context

Lighting

Acer Ecology

The site is within an E4: Urban lighting zone, with high district brightness (Institute of Lighting Professionals, 2012). Several streetlights are present on High Street, that the building is situated on which generate extensive artificial lighting, decreasing the quality of foraging and commuting bat habitat¹⁹.

Ecological Context

The habitats surrounding the building largely comprise other commercial buildings, with the exception of patches of woodland located to the north-west, and the River Taff 0.1km to the west. However, the building is ecologically isolated from these features, and there are no suitable continuous habitat corridors connecting the building and these habitats. Consequently, the site surrounding the building provides low-quality foraging and commuting bat habitat.

3.2.2. Building Description from the Perspective of Bat Habitat

The table overleaf summarises the key features of the building:

Table 4: Key Features of the Building

Building Type	The building is a three-storey rendered brick and stone cladding structure (Photos 1 – 4).
Roof	The roof is pitched in parts and flat in others, and is constructed from concrete roof tiles. The roof tiles are generally well aligned and in good condition, and the edge tiles at the eaves are impeded by close-fitting guttering on all visible elevations. Edge tiles at the gable ends are not capped, but appears to be well sealed. Photos could not be obtained due to the distance to the roof tiles.
Lead Flashing	There is lead flashing at the south-east and western elevations which show lifting, exposing large gaps that may be used by roosting by crevice dwelling bats (Photos 5 – 6).
Soffits, Fascias and Bargeboards	The wooden soffits are well sealed in places. However, at the eastern elevation, the vent slat of one of the soffit boxes has fallen out leaving a large access point for roosting bats (Photo 7). Similarly, on the southern elevation at the gable, damage can be seen in the soffit which may provide access for bats (Photo 8).
Vents	There is one small vent found on the southern elevation at the ground floor and another at the western elevation, however due to their low positioning next to the high street, they are likely to be subject to high levels of noise and disturbance. Therefore, they are unlikely to be used by roosting bats (Photos 9 - 10).
Render	Sections of the building are concrete rendered, whilst others are stone clad (Photos 1 – 4). It is in very good condition across the building.
Windows	The windows have wooden frames and are tightly sealed with no gaps (Photos 1 - 4).
Roof Void	There are three roof voids in the building. All are in good condition and largely uncluttered, with no obvious access points or signs of recent use. The first lies near the northern elevation and encompasses a large space with two windows (Photos 11 - 12). The second lies towards the eastern elevation and could not be accessed safely due to its flooring being suspended ceiling (Photos 13 - 14). The third is found at the rear, at the western elevation, containing no obvious entry points for roosting bats (Photos 15 - 16).
Roof Lining	All sections of the pitched roof are lined with bitumen felt which is in good condition (Photos 11 & 15). No evident gaps were seen in the lining across the voids.

¹⁹ Lighting can impact on bats' roosting sites, commuting routes, and foraging areas.

Acer Ecology

Roof Construction	All sections of the roof are supported on traditional rough sawn timbers with metal plates at the joints. The timbers in all roof voids are close-fitting, with no gaps, cavities, or crevices (Photos 11 & 15).
Insulation of Void	Some yellow fibreglass insulation is present in roof voids one and three on the floor (Photo 12 & 14).
Security Lighting	Lights are found along the eastern and southern elevation of the building as the ground floors are used for shopfronts (Photo 16).

Photos Showing the Building and its Features

Photo 1: South-East Elevation



Photo 2: Southern Elevation



Photo 3: South-West Elevation



Photo 4: North-West Elevation



Photo 5: Lifted Lead Flashing South-East Elevation



Photo 6: Lifted Lead Flashing Western Elevation



Acer Ecology

Photo 7: Soffit Vent Gap Eastern Elevation, Circled



Photo 8: Hole in Soffit Southern Elevation, Circled



Photo 9: Southern Elevation Vent, Circled



Photo 10: Western Elevation Vent, Circled



Photo 11: Roof Void One



Photo 12: Roof Void One



Acer Ecology

Photo 13: Roof Void Two



Photo 13: Roof Void Two



Photo 14: Roof Void Three



Photo 15: Roof Void Three




Photo 16: Shop Lighting Southern Elevation



3.2.3. Dusk Emergence Survey

The results of the survey are summarised in the following tables:

Table 4: Summary of Dusk Emergence Survey Information

	Survey 1
Date	05/07/2023
Sunset Time	21:34
Start Time	21:19
Finish Time	23:04
Start Temperature (°C)	11°C
Sunset Temperature (°C)	11°C
Rain	Slight drizzle from 22:58 to 23:04
Wind (Beaufort scale)	1
Cloud Cover (Oktas)	3

Table 5: Summary of Dusk Emergence Survey Results

	Survey 1: Dusk Emergence
Emergences/ Re-entries	No bats emerged from or interacted closely with the building.
Important Commuting/Foraging Routes	Common pipistrelles (<i>Pipistrellus pipistrellus</i>) were noted to be flying from the eastern elevation of the building overhead towards the western elevation. Common pipistrelles were noted to be foraging near the courtyard on the first floor of the building.
Bat Activity	Overall low levels of bat activity. Common pipistrelles were noted foraging and commuting near the building. No other bat species were recorded during the survey.
Bat Social Calls	No social calls were recorded.

3.2.4. Nesting Bird Survey

No signs of recent nests were found within or on the exterior of the building.

4. Evaluation

4.1. Summary of Field Work

The preliminary roost assessment and dusk emergence survey found no evidence of bats roosting within or on the external parts of the building.

4.2. Assessment of Suitability of Building to Support Roosting Bats

The building was assessed during the initial preliminary roost assessment survey as having low suitability for use by crevice-dwelling bats, low suitability for roof-void dwelling bats, and negligible suitability for use by direct access species (horseshoe species). Full justification of the assessment can be found in Appendix 2. This assessment was used to determine the number of dusk emergence and dawn re-entry surveys required (Appendix 3).

4.3. Potential Hibernation Roosts

The cervices between the stonework of the building provide potential hibernation sites for bats. However, the presence of hibernating bats is considered unlikely due to the lack of direct evidence of bats found using the building during the preliminary roost inspection and dusk emergence survey.

4.4. Important Bat Commuting Routes and Foraging Areas

Common pipistrelles were noted to be foraging near the first-floor courtyard of the building. No important commuting routes were identified during the dusk emergence survey.

4.5. Birds – Interpretation of Nesting Bird Survey

No evidence of past or current nesting by birds was observed during the preliminary roost assessment or the dusk emergence survey, either within or on the exterior of the building.

5. Impact Assessment

5.1. Potential Impacts of Development on Bats

Based on the conclusions that bats are unlikely to be roosting within the building, no direct impacts are anticipated alongside limited indirect impacts.

5.1.1. Potential Direct Impacts

Based on the conclusions that bats are unlikely to be using the building as a roost site, no direct impacts on bats are anticipated.

5.1.2. Potential Indirect Impacts

Lighting

The potential negative indirect impact could be disturbance due to possible increased external lighting on the proposed development. The regularly used foraging area observed on the first-floor courtyard was not used by any particularly light-sensitive (horseshoe bats, Natterer's bat (*Myotis nattereri*), long-eared bats (*Plecotus* sp.) etc. bats so impact by lighting is determined to be minimal.

Loss of Foraging/Feeding Grounds

No natural features i.e. trees or hedgerows will be cleared and therefore no loss of foraging or feeding ground will occur.

6. Required Actions

6.1. Licensing Requirements for Bats

No further survey work is considered necessary. A bat development licence is not required as the survey indicates a likely absence of roosting bats within the building.

6.2. Precautionary Measures

No evidence of any use by roosting bats was recorded on site and it is therefore highly unlikely that bats or their roosts will be affected by the works. No precautionary timing conditions on works are required. However, it is not possible to rule out bat use entirely, and there is also a risk of an offence being committed if active birds' nests are present. The following recommendations are made to minimise risks to bats and birds:

- It will be clearly understood, and contractors made aware that in the event of any bats being found, the contractor must halt works. Appropriate advice will be obtained from a suitably qualified bat consultant or NRW and, if necessary, a bat development licence obtained before work can resume;
- If any active bird nests are found these will be protected, along with an appropriate buffer zone of 5 – 10m, until the nesting is complete, and the young have fledged²⁰;
- Contractors will check for the possible presence of bats on the undersides of roofing tiles, ridge tiles, fascias, soffits and bargeboard etc. if they are to be lifted off. This is especially important at the outset of the works, since once the works have started, the disturbance is likely to drive away bats which are present voluntarily; and
- The services of an appropriately qualified and licenced ecological consultant will be available on an 'on-call' basis at all stages of the works to deal with any unexpected encounters with bats or nesting birds. Contact details of such will be held on site. Acer Ecology Ltd. could be retained to provide this support.

6.2.1. Timing of Works

The works will commence during October to November or March to April to avoid the active bat season of May to September and the core hibernation period of December to February, to minimise disturbance of bats.

6.3. Ecological Enhancement for Bats

The Environmental (Wales) Act 2016, Planning Policy Wales (Edition 11, January 2021), TAN 5 *Nature Conservation and Planning* (2005) and the Merthyr Tydfil Supplementary Planning Guidance Note 5: Nature

²⁰ Some bird species, especially raptors and owls remain dependent upon the nesting site after fledging and so depending upon the species the nest site may need to be protected for a period of time after fledging.

and Development²¹ stipulate that development projects minimise ecological damage and contain elements of ecological enhancement.

6.3.1. Installation of Bat Boxes

In advance of the works, one Schwegler 1FQ wall-mounted bat box (or a suitable alternative) will be erected on the west rear elevation to provide compensatory alternative roosting habitats during the construction period for any bats which may be displaced as a result of the works. Ideally, the bat box will be installed at a height of 4m from ground level and will remain free from any external lighting.

The specification of the box can be found in Appendix 7 with the proposed location in Plan 5.

6.4. Longevity of Report

Survey data should ideally be from the last survey season before a planning or licence application is submitted, although the length of time that survey data remains valid should be decided on a case-by-case basis and is dependent upon several factors²² (Collins, 2016). If development works do not begin within eighteen months to two years of the date of this report, an updated survey may be required in accordance with guidance in BS 42020:2013²³ and CIEEM (2019), to determine if conditions and bat usage has changed since described in the current report.

²¹ <https://www.merthyr.gov.uk/media/1594/spg-5-nature-and-development.pdf>

²² The factors identified are as follows: Were the original surveys carried out according to good practice guidelines?; Were the original surveys constrained in any way?; Do the results of the original surveys support the original conclusions and are these still relevant?; Has the nature of the site or the surrounding area changed since the original surveys were undertaken; and are additional surveys likely to provide information that is material to a decision, the design of mitigation measures, or specific advice relating to a proposed activity.

²³ As set out in Section 6.2.1, Point 7 which states that ecological information should not normally be more than two/three years old, or as stipulated in good practice guidance.


7. References

- Bat Conservation Trust (2022)** *Interim Guidance Note: Use of Night Vision Aids for Bat Emergence Surveys and Further Comment on Dawn Surveys*. Available online at <https://cdn.bats.org.uk/uploads/pdf/Interim-guidance-note-on-NVAs-May-2022-FINAL.pdf?v=1653399882>
- BSI (2013)** *BS 42020:2013 Biodiversity – Code of practice for planning and development*. British Standards Institution, London.
- CIEEM (2019)** *Advice Note on the Lifespan of Ecological Reports and Surveys* Available online at <https://cieem.net/wp-content/uploads/2019/04/Advice-Note.pdf>
- CIEEM (2020)** *Guidelines for Accessing, Using and Sharing Biodiversity data in the UK*. <https://cieem.net/wp-content/uploads/2016/03/Guidelines-for-Accessing-and-Using-Biodiversity-Data-March-2020.pdf>
- Collins, J (ed) (2016)** *Bat Surveys for Professional Ecologists: Good Practice Guidelines (3rd edn)*. The Bat Conservation Trust, London.
- Eaton, M, Aebischer, N, Brown, A, Hearn, R Lock, L, Musgrove, A, Stroud, D and Gregory, R (2014)** *Birds of Conservation Concern 4: the population status of birds in the UK, Channel Islands and Isle of Man*. *British Birds* 108. December 2015. 708-746. Available online at <http://bit.ly/2h23DqV>.
- European Commission, Directorate-General for Environment (2011)** *Guidance document on the strict protection of animal species of Community interest under the Habitats Directive 92/43/EEC: final version*, February 2007. European Commission.
- Institute of Lighting Professionals (2012)** *Guidance for The Reduction of Obtrusive Light*.
- Mitchell-Jones, A.J, & McLeish, A.P. Ed., (2004)** *Bat Workers' Manual (3rd Edition)*. Joint Nature Conservation Committee, Peterborough. Available online at <https://data.jncc.gov.uk/data/e5888ae1-3306-4f17-9441-51a5f4dc416a/Batwork-manual-3rd-edn.pdf>
- Mitchell-Jones, A.J. (2004)** *Bat Mitigation Guidelines*. Natural England, Peterborough.

Drawing 1: Existing Site Plans




Roof voids are shown on the plan below.



Drawing 2: Proposed Development




IN CASE OF DOUBT OR DISCREPANCIES PLEASE REFER TO ARCHITECT FOR INSTRUCTIONS.
USE GIVEN DIMENSIONS ONLY. DO NOT SCALE
THIS DRAWING IS COPYRIGHT.



Stanwell Architects			
Project 126 & 126a High St Merthyr Tydfil			
Date	Drawing No.	Drawn by	Scale (@ A3)
02.23	1007	SS	1 : 100
Client	Drawing Name		REV
Lilyalex Properties	Existing & Proposed Section AA		
steve@stanwellarchitects.co.uk			M: 07710 735555
Company No. 13508844 Reg address: 7 Herbert Terrace, Penarth, CF64 2AH			

Purpose of Drawing: Planning


IN CASE OF DOUBT OR DISCREPANCIES PLEASE REFER TO ARCHITECT FOR INSTRUCTIONS.
USE GIVEN DIMENSIONS ONLY. DO NOT SCALE.
THIS DRAWING IS COPYRIGHT.



Second floor plan: proposed

Purpose of Drawing:


Planning




Roof plan: proposed

Stanwell Architects			
Project	126 & 126a High St Merthyr Tydfil		
Date	02.23	Drawing No.	1005
Client	Llyvale Properties	Drawn by	SS
		Scale (@ A3)	1 : 100
		Drawing Name	Proposed First Floor & Roof Plans
		REV	
stanwellarchitects.co.uk M: 07710 735555			
Company No: 13506844 Reg address: 7 Herbert Terrace, Penarth, CF64 2AH			

Plan 1: Location Plan



Plan 2: Location/Block Plan



Key

 Site boundary



Revisions


Stanwell Architects

Project
126 & 126a High St Merthyr Tydfil


Date	Drawing No.	Drawn by	Scale (@ A4)
02.23	1000	SS	1 : 1250
Client	Drawing Name	REV	
Lilyalex Properties	Site Location Plan		

steve@stanwellarchitects.co.uk M: 07710 735555
Company No.: 13506844 Reg address: 7 Herbert Terrace, Penarth, CF64 2AH


Plan 3: Protected Sites Within 2km



Plan 4: Dusk Emergence Survey Results (05/07/2023)



Plan 5: Proposed Bat Box Location



Appendix 1: Bat Ecology and Legislation Protecting Bats and Their Roosts

Bat Ecology

There are 17 known breeding species of bat found in the UK, with additional species recorded as migrants or vagrants. They are all small, nocturnal, flying, insectivorous mammals that are under conservation threat with many having undergone massive population declines over the last century. Some species, such as common pipistrelle and soprano pipistrelle (*Pipistrellus pygmaeus*) are relatively common and widespread in the UK, while others, such as greater horseshoe bats, have an extremely restricted distribution.

Most bats will use a variety of roosts of different types throughout the year. The winter hibernation sites typically have cool, humid conditions with a stable microclimate and low levels of disturbance. Most British bats hibernate in caves or artificial structures that fulfil these requirements, such as mines, tunnels and cellars. Bats emerge from hibernation around late March or early April and move into transition or intermediary roosts. Around early May, female bats gather in colonies to form summer or maternity roosts, and it is here where they will give birth between late May and early July. A colony may consist of many individuals (sometimes hundreds of bats) of mixed age and sex. Roosts occur in a variety of habitat types, including tree-holes, caves, buildings and other secure crevices or internal spaces with appropriate stable temperatures and humidity. Bats may change roost locations many times during a year, and colonies may split up and reform during this period. Males occupy solitary roosts in autumn, to which they attract females for mating.

Legislation

All British bat species and any place used for shelter or protection, or as a breeding site or resting place (their roosts) are fully protected under the amended Wildlife and Countryside Act 1981 through inclusion in Schedule 5. The roosts are protected irrespective of whether bats are present at the time. All bats fully protected under the Wildlife and Countryside Act 1981 (as amended) and Conservation of Habitats and Species (Amendment) (EU Exit) [‘CHSAEU’] Regulations 2019. The aforementioned legislation make it illegal to deliberately or recklessly:

- kill, injure or capture bats;
- disturb bats;
- damage, destroy, or obstruct access to bat roosts (including sites that are currently unoccupied);
- possess or transport a bat or any part of a bat unless acquired legally; or
- sell, barter or exchange bats or parts of bats.

Disturbance is defined as that which is likely to impair bats ability:

- to survive, to breed or reproduce, or to rear or nurture their young;
- to hibernate or migrate; or
- to significantly affect the local distribution or abundance of the species to which they belong.

Habitats Regulations Licensing

If a European Protected Species will be affected by a development, Natural Resources Wales (NRW) can issue licences under the Habitats Regulations to permit otherwise prohibited acts. Licences for certain activities can be granted providing “three tests” are satisfied, that is:

1. the purposes of “preserving public health or safety, or for reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment”;
2. there must be “no satisfactory alternative”; and,
3. the derogation is “not detrimental to the maintenance of the population of the species concerned at a favourable conservation status in their natural range”.

Where Planning regulations apply, NRW will only issue a licence after planning consent has been granted. The licence application will require the production of a detailed method statement, which sets out the activities to be carried out under the licence to minimise the risk of bats being harmed during construction works and ensure that bats will be conserved during the development of the site. This will need to detail the mitigation proposed (such as the replacement or compensation roost); the timescale and schedule of works, the number, size and locations of bat access points to be provided; the type of materials to be used (roofing material, roof lining, fascias, soffits, and bargeboards etc.); lighting proposals; action to be taken in the event bats are found during works; and a post-development monitoring programme. The method statement will need to be accompanied by scaled plans and maps detailing the bat mitigation features. A cross-section of the access points and roost space is often required. The method statement must ensure that provision is made for new or continued roosting opportunities after the completion of development works. In some instances, a method statement is requested by the Local Planning Authority or Natural Resources Wales before the planning application is determined.

Planning Policy Wales

Section 6.4 Paragraph 6.4.5 of Planning Policy Wales Edition 11 (2021) that focuses on Biodiversity and Ecological Networks, Section 6 of The Environment (Wales) Act 2016²⁴ that details the requirement for enhanced biodiversity and resilience of ecosystems, TAN 5 and Section 40(1) of the Natural Environment and Rural Communities Act (NERC) 2006 all encourage developments in Wales to provide a net benefit for biodiversity conservation with no significant loss of habitats or populations of species, locally or nationally.

Part 1, Section 7 of the Environment (Wales) Act 2016 provides a list of the ‘*living organisms of principal importance for maintaining and enhancing biodiversity in relation to Wales*’. This includes seven bat species (soprano pipistrelle, barbastelle (*Barbastella barbastellus*), Bechstein’s (*Myotis bechsteini*), noctule (*Nyctalus noctula*), brown long-eared (*Plecotus auritus*), lesser horseshoe and greater horseshoe bats).

²⁴ <http://www.legislation.gov.uk/anaw/2016/3/contents>

Appendix 2: Justification for Number of Surveys Undertaken

The building is assessed as having:

- Low suitability for use for crevice dwelling bats (Pipistrellus species and smaller Myotis species such as Brandt's (*Myotis brandtii*) and whiskered bats (*Myotis mystacinus*)). This is due to the presence of some access points and roost features, including under the lifted lead flashing, and the gaps in soffit boxes.
- Low suitability for use by roof-dwelling bats²⁵ (long-eared species (*Plecotus species*) and large Myotis bats, such as Natterer's bat and serotine bats (*Eptesicus serotinus*)). This is due to the presence of several potential access points and roost features. It is possible that the roof voids may be used by bats via the lifted lead flashing. However, no evidence of bat roosts was located in the roof void which is generally conspicuous if bats are roosting within the void; and
- Negligible suitability for use by direct-access species requiring a large access point and large roost space (lesser horseshoe (*Rhinolophus hipposideros*) and greater horseshoe (*Rhinolophus ferrumequium*) bats) as there are no sufficiently large access points for these species to gain entry.

The building has an overall low bat roosting suitability due to the reasons stated above. This assessment will be used to determine the level of further survey effort required (see Appendix 3).

²⁵ Roof-void dwelling bats may be visible on roof timbers but need flight space in certain types of roost. In non-maternity roosts, long-eared bats can make use of crevice features without gaining access into a roof void.

Appendix 3: Guidelines for Assessing Potential Bat Roosting Suitability and Determining Required Number of Dusk/Dawn Surveys

Suitability	Description of Roosting Habitat	Minimum Number of Dusk/Dawn Surveys Required ²⁶
Negligible	Negligible habitat features on site likely to be used by roosting bats.	None.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically. However, these potential roost sites do not provide enough space, shelter, protection appropriate conditions ²⁷ and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity) or hibernation ²⁸ .	One survey visit. One dusk emergence or dawn re-entry survey (Survey period from May to August) (Collins 2016).
Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions and surrounding habitat but unlikely to support a roost of high conservation status ²⁹ (with respect to roost type only) the assessments in this table are made irrespective of conservation status, which is established after presence is confirmed.	Two separate survey visits. One dusk emergence and a separate dawn re-entry survey ³⁰ . Surveys should be undertaken from May to September, with at least one of the survey between May and August (Collins 2016).
High	A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for long periods of time due to their size, shelter, protection, conditions, and surrounding habitat.	Three separate survey visits. At least one dusk emergence and a separate dawn re-entry survey. The third visit could be either dusk or dawn. Surveys should be undertaken from May to September, with at least two of the surveys from May to August (Collins 2016).
Confirmed Roost	Evidence of bats or use of bats found.	Three separate surveys recommended to characterise the roost and support an NE licence application. If no evidence of bat roosting is detected during the dusk and dawn surveys, DNA analysis of the droppings may be required.

²⁶ Adapted from Tables 4.1 and 7.3 of the Bat Surveys for Professional Ecologists: Good Practice Guidelines (Collins, 2016).

²⁷ For example, in terms of temperature, humidity, height above ground levels, light levels or levels of disturbance.

²⁸ Evidence from the Netherlands shows mass swarming events of common pipistrelle bats in the autumn followed by mass hibernation in a diverse range of building types in urban environments (Korsten *et al.*, 2015). This phenomenon requires some research in the UK, but ecologists should be aware of the potential for large numbers of this species to be present during the autumn and winter in large buildings in highly urbanized environments.

²⁹ 'High roost status' is not defined within Collins, 2016. Acer Ecology Ltd. interpret maternity, hibernation, swarming sites, mating sites, and satellite roosts as being of 'high roost status' and exclude day roosts, night roosts, feeding roosts, transitional/occasional roosts from this definition. Pre-maternity/collecting roosts are not included within Collins, 2016 and will be assessed on an individual basis.

³⁰ Multiple surveys should be spread out to sample as much of the survey period as possible. It is recommended that surveys are spaced at least two weeks apart, preferably more. A dawn survey immediately after a dusk survey is considered only one visit.

Acer Ecology

Appendix 4: Guidelines for Assessing Bat Habitat Suitability

Suitability	Commuting and Foraging Habitat
Negligible	Negligible habitat features on-site likely to be used by commuting and foraging bats.
Low	<u>Commuting Habitat</u> Habitat that could be used by small numbers of commuting bats such as a gappy hedgerow or un-vegetated stream, but isolated, i.e. not very well connected to the surrounding landscape. <u>Foraging Habitat</u> Suitable but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
Moderate	<u>Commuting Habitat</u> Continuous habitat connected to the wider landscape that could be used by bats for commuting, such as lines of trees and scrub or linked back gardens. <u>Foraging Habitat</u> Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.
High	<u>Commuting Habitat</u> Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by commuting bats such as river valleys, streams, hedgerows, lines of trees and woodland edge. <u>Foraging Habitat</u> High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses, and grazed parkland. <u>Proximity to Known Bat Roosts</u> The site is close to and connected to known roosts.

Appendix 5: Surveyor Details

05/07/2023

Isabel Humphries – Isabel graduated with a degree in Chemistry from Cardiff University. She is currently working for and receiving training from Acer Ecology. Full details of Isabel's qualifications and experience can be found at: <https://www.linkedin.com/in/isabel-humphries-a182491b9>

Anita Connors – Anita graduated from the University of South Wales with a degree in International Wildlife Biology. She is currently working for and receiving training from Acer Ecology and is in her first bat survey season. Full details of Anita's qualifications and experience can be found at: <https://www.linkedin.com/in/anita-connors-a2a887182/>

Nyxon Rockliffe-Fidler - Nyxon is studying BSc Ecology and Conservation at Lancaster University. She is currently working and gaining experience as an Assistant Ecologist with Acer Ecology.

Maiya Evans – Maiya graduated from Swansea University with a MSc in Clinical Psychology. Maiya is working for Acer Ecology as a seasonal bat surveyor and is in her first season of surveying.

Appendix 6: Infrared Camera Images of Building



Acer Ecology



Appendix 7: Specification of Schwelger 1FQ Bat Box



Specification:
Material: Woodcrete
Height: 60cm
Width: 35cm
Depth: 9cm
Weight: 15.8kg

The 1FQ Bat Roost is ideal for all types of bats which inhabit buildings. The shape and design make it equally attractive to bats as a roost or nursery and it is also very attractive to the human eye, which is an important consideration.

Installation of the 1FQ is achieved using the four screws and plugs provided. The back panel is initially screwed onto the wall (using four screws) and then the front panel is attached to this. It can easily be attached to most types of external brick, timber or concrete and can also be placed inside a roof space. (If fixing to timber then the gaps between the wall and the box should be sealed with silicone to prevent moisture being trapped here). The box should be positioned a minimum of three metres above the ground and where there is a clear flight path for bats entering and leaving. If desired, the front panel can be painted to match your building using an air-permeable paint.

Available to purchase at: [1FQ Schwegler Bat Roost \(For External Walls\) | NHBS Practical Conservation Equipment](#) for £145.