



North



Typical Railings & Retaining Wall Detail



Typical Fence & Retaining Wall Detail

All rear garden fencing to provide minimum 1800mm high privacy screening.

All retaining wall & railings to provide minimum 1100mm high barrier protection from falling.

Key

- New feather edge treated timber close board fence
- Existing 1800mm high fence retained
- New fence & retaining wall
- New railings & retaining wall
- New retaining wall
- New 900mm high brick wall
- New 1800mm high brick wall
- New native mixed species hedgerow



Date	Drawn	Check	Description	Rev.
18/11/24	***	***	Retaining wall locations and details added. Boundary wall to Plot 42 indicated	A
27/11/24	***	***	Plan updated.	B
16/06/25	***	***	Some fences changed to brick walls, notation added for clarification.	C
17/06/25	***	***	Brick wall to no. 42 included in revision cloud.	D
24/06/25	***	***	Revision bubbles removed, stone wall to western side of Plot 1 changed to fence.	E

Development at Swansea Road,
Merthyr Tydfil

Job No.
18 004

Dwg No.
AL(90)06

Rev.
E

Title
Proposed Boundary Treatments

Date
14/07/2023

Drawn
WS

Scale
1:500 @ A3

Architects
Environmental & Urban design

Town planners

Unit 1A, Compass Business Park,
Pacific Road, Cardiff. CF24 5HL

www.c2architects.co.uk
tel: 029 20452100